

NIOSH Publication No. 2005-151:

<http://www.cdc.gov/niosh/npg/npgd0476.html>

Ozone

CAS

10028-15-6

O₃

RTECS

[RS8225000](#)

Synonyms & Trade Names

DOT ID & Guide

Triatomic oxygen

NIOSH REL: C 0.1 ppm (0.2 mg/m³)

**Exposure
Limits**

OSHA PEL†: TWA 0.1 ppm (0.2 mg/m³)

IDLH

Conversion

5 ppm See: [10028156](#)

1 ppm = 1.96 mg/m³

Physical Description

Colorless to blue gas with a very pungent odor.

MW: 48.0

BP: -169°F

FRZ: -315°F

Sol(32°F): 0.001%

VP: >1 atm

IP: 12.52 eV

RGasD: 1.66

Fl.P: NA

UEL: NA

LEL: NA

Nonflammable Gas, but a powerful oxidizer.

Incompatibilities & Reactivities

All oxidizable materials (both organic & inorganic)

Personal Protection & Sanitation

First Aid

Skin: No recommendation

Eyes: No recommendation

Wash skin: No recommendation

Remove: No recommendation

Change: No recommendation

Eye: Medical attention

Breathing: Fresh air; 100% O₂

Respirator Recommendations

NIOSH/OSHA

Up to 1 ppm:

(APF = 10) Any chemical cartridge respirator with cartridge(s) providing protection against the compound of concern⁶

(APF = 10) Any supplied-air respirator

Up to 2.5 ppm:

(APF = 25) Any supplied-air respirator operated in a continuous-flow mode

(APF = 25) Any powered, air-purifying respirator with cartridge(s) providing protection against the compound of concern⁶

Up to 5 ppm:

(APF = 50) Any chemical cartridge respirator with a full facepiece and cartridge(s) providing protection against the compound of concern⁶

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern⁶

(APF = 50) Any supplied-air respirator that has a tight-fitting facepiece and is operated in a continuous-flow mode

(APF = 50) Any self-contained breathing apparatus with a full facepiece

(APF = 50) Any supplied-air respirator with a full facepiece

Emergency or planned entry into unknown concentrations or IDLH conditions:

(APF = 10,000) Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode

(APF = 10,000) Any supplied-air respirator that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained positive-pressure breathing apparatus

Escape:

(APF = 50) Any air-purifying, full-facepiece respirator (gas mask) with a chin-style, front- or back-mounted canister providing protection against the compound of concern⁶/Any appropriate escape-type, self-contained breathing apparatus

Exposure Routes

inhalation, skin and/or eye contact

Symptoms

Irritation eyes, mucous membrane; pulmonary edema; chronic respiratory disease

Target Organs

Eyes, respiratory system

Guardian Manufacturing Inc. 571-A Haverty Ct, Rockledge FL 32955 (321) 631-4580